

# ACCESS CONTROL

## RIM MOUNT ELECTRIC STRIKE 30-4 SERIES



1

ACCESS CONTROL

### DESCRIPTION

The **30-4 Series Electric Strike** is designed for use with rim mount exit devices that have pullman type latch bolts or the top pullman latch of a surface vertical-rod exit device.

### FEATURES

- All stainless steel for corrosion resistance and strength
- Tamper resistant, heavy-duty construction
- Horizontal keeper adjustment for door and frame misalignment
- Pullman keeper
- Non-handed, reversible
- Fail secure (standard) or Failsafe (optional)




30-4

### SPECIFICATIONS

<b>Supply Voltage</b>	12 VDC, 24 VDC
<b>Supply Current</b>	0.51 Amp @ 12VDC, 24 OHMS, 0.25 Amp @ 24VDC, 96 OHMS
<b>Weight</b>	1.2 lb (0.55 kg)
<b>Approvals</b>	
<b>Auxiliary Locks and Associated Products</b>	
	ANSI / BHMA A156.5 - Grade1 DoD FSC 530
<b>Burglary Protection Equipmet</b>	
	ANSI / UL1034 - Grade1 Fire door accessories (fail secure only) UL Listed file #BP7002 for the fire door assemblies up to 3 hrs. UL10B
<b>Warranty</b>	1 year

### DIMENSIONS



### ORDERING INFORMATION

<b>30-4</b>	Electric Strike	
<b>12</b>	12 VDC	
<b>24</b>	24 VDC	
<b>D</b>	Satin Brass	
<b>G</b>	Satin Bronze	
<b>H</b>	Oil Rubbed Bronze	
<b>P</b>	Bright Chrome	
<b>Q</b>	Satin Chrome	
<b>U</b>	Satin Stainless	
<b>FS</b>	Failsafe Operation	
<b>LBM-30</b>	Latchbolt Monitor	
<b>LCM-30</b>	Locking Cam Monitor	
<b>BR64XL</b>	Rectifier for AC Operation	
<b>PC</b>	Plug Connector	

#### Example:

**30-4-24-U-LBM-30**

\*24VDC, Satin Stainless Steel, Latchbolt Monitor